

EDI Guideline

KION Group DESADV

based on

EDIFACT DESADV D.96A

Version 1.81
16.07.2018

KION Group IT – Integration & EDI

edi@kiongroup.com

History:

Version 1.00 - 19.03.2014

- Initial release

Version 1.10 - 08.08.2014

- Page 26 SG15-LIN: Qualifier "IN" added in field 7143

Version 1.20 - 29.10.2014

- Page 27 SG15-PIA: Example corrected from PIA+1 to PIA+5

Version 1.30 - 24.06.2016

- Page 28 Status of Segment IMD changed from M to O
- Page 32 SG15-FTX+LIN: changed from M to O
- Page 32 SG16-RFF: Qualifier AAU removed from Guide

Version 1.40 - 20.07.2016

- Page 23 SG11-PAC: Status of fields 7064 and 7143 changed from M to O

Version 1.50 - 24.08.2016

- Page 12 SG2-NAD (Buyer): Status changed from M to O
- Page 15 SG2-NAD (Supplier): Status changed from M to O
- Page 19 SG5-TOD: Status changed from M to O

Version 1.60 - 18.11.2016

- Page 27 SG15-PIA: Item number type SCC (Statistical commodity code, mandatory) added
- Page 30 SG15-ALI: Changed to M; Duty regime type 9213 and special condition 4183 no longer used.
- Page 33 SG16-RFF: Qualifier SE (Serial Number, mandatory) added.

Version 1.70 - 14.02.2017

- Page 25 QTY+52: Status changed from M to O

Version 1.80 - 20.03.2017

- Page 15 SG2-NAD (Supplier): Status changed from O to M
- Page 23 SG11-PAC: Status of fields 7064 changed from O to M

Version 1.81 - 16.07.2018

- Page 35 SG15-SG18-LOC: Qualifier 11 is now optional whilst qualifier 18 is still mandatory

Used Segments

Tag	No.	Status	Rep,	Contents	Docu on page
UNB				Interchange header	6
UNH	1	M	1	Message header	7
BGM	2	M	1	Beginning of message	8
DTM	3-5	M	10	Message date and time	9, 10
MEA	6-7	M	5	Measurements	11
SG2		O	10	Buyer	
NAD	8	O	1	Customer number, name and address	12
SG4		O	5	Contact details	
CTA	9-10	O	1	Name of purchaser and delivery contact	13
COM	11	O	5	Communication data	14
SG2		O	10	Supplier	
NAD	12	O	1	vendor number, name and address	15
SG2		O	10	Delivery party	
NAD	13	M	1	Delivery number, name and address	16
SG2		O	10	Consignor	
NAD	14	O	1	Consignor number, name and address	17
SG2		O	10	Carrier	
NAD	15	O	1	Carrier number, name and address	18
SG5		O	10		
TOD	16	O	1	Terms of delivery or transport	19
SG6		O	10		
TDT	17	M	1	Details of transport	20
SG8		O	10		
EQD	18	O	1	Equipment details	21
SG10		M	9999		
CPS	19	M	1	Consignment packing sequence	22
SG11		O	9999		
PAC	20	O	1	Package	23
MEA	21	O	10	Measurements	24
QTY	22	O	10	Quantity	25

SG15		O	9999		
LIN	23	M	1	Line Item	26
PIA	24	M	10	Additional identification	27
IMD	25	O	25	Item description	28
QTY	26	M	25	Quantity	29
ALI	27	M	10	Additional information	30
DTM	28	O	5	Date/time/period	31
FTX	29	O	5	Free text	32
SG16		O	10		
RFF	30	M	1	Reference	33
DTM	31	O	1	Date/time/period	34
SG18		O	10		
LOC	32	M	1	Place/location identification	35
UNT	33	M	1	Message trailer	36
UNZ		M	1	Interchange trailer	37

M = Mandatory
O = Optional
C = Conditional

Explanation of usage:

First of all, the usage of each segment has to be considered, so if a segment is mandatory (M), it has to appear in the data file.

It might happen, that a segment itself is optional (O) or conditional (C) but the elements within the segment are declared as mandatory (M). This means, it is not required that the segment has to be used in any case, but if the segment appears in the EDI data file, the mandatory fields must be filled.

The same procedure has to be applied to segment groups and segments: A segment group can be optional, while the contained segments are mandatory. In this case all mandatory segments of a segment group has to appear in the data file, if you decide to use this segment group.

The request of certain segment groups, segments or fields may differ from the description of DESADV D96A like it is distributed from the UNECE. We have changed the request of some elements from optional to mandatory as they are important for our processes.

Example

- UNA:+.? '
- UNB+UNOC:3+4711:92+123456:91+120308:1331+75'
- UNH+1+DESADV:D:96A:UN'
- BGM+351+256455811'
- DTM+137:20120308:102'
- DTM+143:201203080000:203'
- DTM+232:201203110000:203'
- MEA+AAX+AAD+KGM:120.050'
- MEA+AAX+AAC+KGM:120.000'
- NAD+BY+123456::91++KION GROUP AG+Abraham-Lincoln-Str+Wiesbaden++65189+DE'
- CTA+PD+116:Tony Kunde'
- CTA+DL+116'
- COM+0049 711 99 1234:TE'
- COM+0049 711 99 1235:FX'
- COM+Tony.Kunde@kiongroup.com:EM'
- NAD+SU+4711::92++Mueller GmbH+Industriestr. 12+Frankfurt++60311+DE'
- NAD+DP+1001::92++KION GROUP,WERK 2,TOR 2+Abraham-Lincoln-Str+Wiesbaden++65189+DE'
- NAD+CZ+4711::92++Mueller GmbH+Industriestr. 12+Frankfurt++60311+DE'
- NAD+CA+URBAN::92'
- TOD+6++EXW:::Frankfurt'
- TDT+12++30+31+:::Max Trans'
- EQD+ZZZ+HH-CV-123'
- CPS+1++4'
- PAC+10+++F:KLT7411:IN:TR-12:SA'
- MEA+AAI+AAD+KGM:14.800'
- MEA+AAI+AAC+KGM:13.800'
- QTY+52:220:PCE'
- LIN+10++0009812142:BP'
- PIA+5+6000300029:SA+73181530:SCC+DRW/0009812142/06/000:EC'
- IMD++11+:::1'
- QTY+12:220:PCE'
- ALI+DE+++'
- DTM+11:20120308:102'
- FTX+LIN+1++Position text 1+DE'
- RFF+ON:5500011934:10'
- RFF+SE:0300367'
- DTM+137:20120308:102'
- LOC+11+H 2a, SAP-LO 1221'
- LOC+18+1221'
- UNT+38+1'
- UNZ+1+75'

UNB M 1 Interchange Header

Description: Service segment providing the unique identification of an interchange. It allows the identification of the sender and the receiver of the interchange, gives date and time of preparation as well as the interchange control reference

Example: **UNB+UNOC:3+4711:92+123456:91+120308:1331+75**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
S001	Syntax Identifier	M			
0001	Syntax identifier	M	a4	M	UNOC
0002	Syntax version number	M	n1	M	3
S002	Interchange Sender	M			
0004	Sender identification	M	an..35	M	4711 = vendor number at KION system
0007	Partner identification code qualifier	M	an..4	M	92 = Assigned by buyer or buyer's agent ZZ = Mutually defined 14 = EAN International
S003	Interchange Recipient	M			
0010	Recipient Identification	M	an..35	M	123456 = KION (brand) customer no at vendor system
0007	Partner identification code qualifier	M	an..4	M	91 = Assigned by vendor or vendor's agent ZZ = Mutually defined 14 = EAN International
S004	Date/Time of preparation	M			
0017	Date of preparation	M	n6	M	120308 = YYMMDD
0019	Time of preparation	M	n4	M	1331 = HHMM
0020	Interchange control reference	M	an..14	M	75 = No. of interchanges to partner

Segment No.: 1

UNH M 1 Message Header

Description: Service segment starting and uniquely identifying a message. The message type code for the invoice is INVOIC

Example: **UNH+1+DESADV:D:96A:UN'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
0062	Message reference number	M	an..14	M	1 = No. of message within interchange
S009	Message Identifier	M			
0065	Message type	M	an..6	M	DESADV
0052	Message version number	M	an..3	M	D
0054	Message release number	M	an..3	M	96A
0051	Controlling agency	M	an..2	M	UN

Segment No.: 2

BGM M 1 Beginning of Message

Description: A segment by which the sender must uniquely identify the invoice by means of its name and number and when necessary its function.

Example: **BGM+351+256455811'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C002	Document / Message name	C		M	
1001	Document / Message name	C	an..3	M	Document name code 351 = Despatch advice
C106	Party identification details	M		M	
1004	Document number	C	an..35	M	256455811 = Despatch advice number

Segment No.: 3

DTM M 10 Date and Time

Description: A segment specifying general dates and, when relevant, times related to the whole message.
The segment must be specified at least once to identify the order date.

Example: **DTM+137:20120308:102'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C507	Date / Time / Period	M		M	
2005	Date / Time / Period qualifier	M	an..3	M	137 = Document / Message date
2380	Date	C	an..35	M	20120308
2379	Format qualifier	C	an..3	M	102 = CCYYMMDD

Segment No.: 4

DTM O 10 Date and Time

Description: A segment specifying general dates and, when relevant, times related to the whole message.
The segment must be specified at least once to identify the order date.

Example: **DTM+143:201203080000:203**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C507	Date / Time / Period	M		M	
2005	Date / Time / Period qualifier	M	an..3	M	143 = Acceptance date/time of goods (Date/time on which the goods are taken over by the carrier at the place of acceptance)
2380	Date	C	an..35	M	201203080000
2379	Format qualifier	C	an..3	M	203 = CCYYMMDDHHMM

Segment No.: 5

DTM M 10 Date and Time

Description: A segment specifying general dates and, when relevant, times related to the whole message.
The segment must be specified at least once to identify the order date.

Example: **DTM+232:201203080000:203'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C507	Date / Time / Period	M		M	
2005	Date / Time / Period qualifier	M	an..3	M	232 = Arrival date/time scheduled
2380	Date	C	an..35	M	201203080000
2379	Format qualifier	C	an..3	M	203 = CCYYMMDDHHMM

Segment No.: 6

MEA M 5 Measurements

Description: A segment specifying physical measurements, including dimension tolerances, weights and Counts.

Example: **MEA+AAX+AAD+KGM:120.050'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
6311	Measurement application qualifier	M	an..3	M	AAX = Consignment measurement
C502	Measurement details	C		M	
6313	Measured attribute code	C	an..3	M	AAD = Total gross weight
C174	Value/range	C		M	
6411	Measurement unit code	M	an..3	M	KGM = kilogram LBR = pound
6314	Measurement value	C	an..35	M	120.050

Segment No.: 7

MEA M 5 Measurements

Description: A segment specifying physical measurements, including dimension tolerances, weights and Counts.

Example: **MEA+AAX+AAC+KGM:120.000'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
6311	Measurement attribute code	M	an..3	M	AAX = Consignment measurement
C502	Measurement details	C		M	
6313	Measured attribute code	C	an..3	M	AAC = Total net weight
C174	Value/range	C		M	
6411	Measurement unit code	M	an..3	M	KGM = kilogram LBR = pound
6314	Measurement value	C	an..35	M	120.000

Segment No.: 8 **SG2-NAD** (Buyer, Käufer)

SG2 O 10 Segment Group 2

Description: A group of segments identifying the parties with associated information.

NAD O 1 Name and Address

Description: A segment identifying names and addresses of the parties, in coded or clear form, and their functions. Identification of the buyer parties is mandatory for the message.

Example: **NAD+BY+123456::91++KION GROUP AG+Abraham-Lincoln-Str+Wiesbaden++65189+DE'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3035	Party qualifier	M	an..3	M	BY = Buyer
C082	Party identification details	C		M	
3039	Party identification	M	an..35	M	123456 = KION (brand) customer no at vendor system
3055	Responsible f. code	C	an..3	M	91 = Assigned by vendor or vendor's agent 9 = EAN International ZZ = Mutually defined
C080	Name and adress	C		M	
3036	Name	M	an..35	M	Name
3036_2	Name	C	an..35	O	
3036_3	Name	C	an..35	O	
3036_4	Name	C	an..35	O	
C059	Name and adress	C		M	
3042	Street and/or PO Box number	M	ab..35	M	Street
3042_2	Street and/or PO Box number	C	an..35	O	
3164	Name of city	C	an..35	M	City
3229	Country sub-entity identification	C	An..9	O	
3251	Postal code	C	an..9	M	Postal code
3207	Country code ISO 3166-2	C	an..3	M	Country code

Segment No.: 9,10 **SG2-SG4-CTA** (Buyer, Käufer)

SG2 10 Segment Group 2
SG4 10 Segment Group 4

Description: A group of segments giving contact details of the specific person or department within the party identified in the NAD segment.

CTA 1 Contact Information

Description: A segment to identify a person or department, and their function, to whom communications should be directed.

Example: **CTA+PD+116:Tony Kunde'**
 CTA+DL+116'

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3139	Contact function, coded	C	an..3	M	PD = Purchasing contact DL = Delivery contact
C056	Department or employee details	C		M	
3413	Dept. or employee identification	C	an..17	M	116 = Number of purchaser
3412	Department or employee	C	an..35	M	Tony Kunde = Name of purchaser

Segment No.: 11 **SG2-SG4-COM** (Buyer, Käufer)

SG2 10 Segment Group 2

SG4 10 Segment Group 4

Description: A group of segments giving contact details of the specific person or department within the party identified in the NAD segment.

COM 5 Communication

Description: A segment to identify a communications type and number for the contact specified in the CTA segment.

Example: **COM+0049 711 99 1234:TE'**
 COM+0049 711 99 1235:FX'
 COM+Tony.Kunde@kiongroup.com:EM'

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C076	Communication	M		O	
3148	Communication number / address	M	an..512	O	0049 711 99 1234 0049 711 99 1235 Tony.Kunde@kiongroup.com
3155	Communication channel qualifier	M	an..3	O	TE = Phone FX = Fax EM = Email

Segment No.: 12 **SG2-NAD** (Supplier, Lieferant)

SG2 O 10 Segment Group 2

Description: A group of segments identifying the parties with associated information to the whole Despatch Advice.

NAD M 1 Name and Address

Description: A segment identifying names and addresses of the parties, in coded or clear form, and their functions. Identification of the supplier parties is mandatory for the message.

Example: **NAD+SU+4711::92++Mueller GmbH+Industriestr. 12+Frankfurt++60311+DE'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3035	Party qualifier	M	an..3	M	SU = Supplier
C082	Party identification details	C		M	
3039	Party identification	M	an..35	M	4711 = Supplier number
3055	Responsible f. code	C	an..3	M	92 = Assigned by buyer or buyer's agent
C080	Name and address	C		M	
3036	Name	M	an..35	M	Name (Mueller GmbH)
3036_2	Name	C	an..35	O	
3036_3	Name	C	an..35	O	
3036_4	Name	C	an..35	O	
C059	Name and address	C		M	
3042	Street and/or PO Box number	M	ab..35	M	Street (Industriestr. 12)
3042	Street and/or PO Box number	C	an..35	O	
3164	Name of city	C	an..35	M	City (Frankfurt)
3229	Country sub-entity identification	C	An..9	O	
3251	Postal code	C	an..9	M	Postal code (60311)
3207	Country code ISO 3166-2	C	an..3	M	Country code (DE)

Segment No.: 13 **SG2-NAD** (Delivery, Warenempfänger)

SG2 O 10 Segment Group 2

Description: A group of segments identifying the parties with associated information to the whole Despatch Advice.

NAD M 1 Name and Address

Description: A segment identifying names and addresses of the parties, in coded or clear form, and their functions. Identification of the consignee parties is mandatory for the message.

Example: **NAD+DP+1001::92++KION GROUP, WERK 2, TOR 2+Abraham-Lincoln-Str+Wiesbaden
++65189+DE'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3035	Party qualifier	M	an..3	M	DP = Delivery party (Party to which goods should be delivered)
C082	Party identification details	C		M	
3039	Party identification	M	an..35	M	1001 = number of customers plant
3055	Responsible f. code	C	an..3	M	92 = Assigned by buyer or buyer's agent
C080	Name and address	C		M	
3036	Name	M	an..35	M	KION GROUP, WERK 2, TOR 2= Name, Plant, Door
3036_2	Name	C	an..35	O	
3036_3	Name	C	an..35	O	
3036_4	Name	C	an..35	O	
C059	Name and address	C		M	
3042	Street and/or PO Box number	M	ab..35	M	Street
3042	Street and/or PO Box number	C	an..35	O	
3164	Name of city	C	an..35	M	City
3229	Country sub-entity identification	C	An..9	O	
3251	Postal code	C	an..9	M	Postal code
3207	Country code ISO 3166-2	C	an..3	M	Country code

Segment No.: 14 **SG2-NAD** (Consignor, Versender)

SG2 O 10 Segment Group 2

Description: A group of segments identifying the parties with associated information to the whole Despatch Advice.

NAD O 1 Name and Address

Description: A segment identifying names and addresses of the parties, in coded or clear form, and their functions. Identification of the consignor parties is optional for the message.

Example: **NAD+CZ+4711::92++Mueller GmbH+Industriestr. 12+Frankfurt++60311+DE'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3035	Party qualifier	M	an..3	M	CZ = Consignor (Party which, by contract with a carrier, consigns or sends goods with the carrier)
C082	Party identification details	C		M	
3039	Party identification	M	an..35	M	4711 = number of Consignor
3055	Responsible f. code	C	an..3	M	92 = Assigned by buyer or buyer's agent
C080	Name and adress	C		M	
3036	Name	M	an..35	M	Name (Mueller GmbH)
3036_2	Name	C	an..35	O	
3036_3	Name	C	an..35	O	
3036_4	Name	C	an..35	O	
C059	Name and adress	C		M	
3042	Street and/or PO Box number	M	ab..35	M	Street
3042	Street and/or PO Box number	C	an..35	O	
3164	Name of city	C	an..35	M	City
3229	Country sub-entity identification	C	An..9	O	
3251	Postal code	C	an..9	M	Postal code
3207	Country code ISO 3166-2	C	an..3	M	Country code

Segment No.: 15 **SG2-NAD** (Carrier, Spediteur)

SG2 O 10 Segment Group 2

Description: A group of segments identifying the parties with associated information to the whole Despatch Advice.

NAD O 1 Name and Address

Description: A segment identifying names and addresses of the parties, in coded or clear form, and their functions. Identification of the carrier parties is optional for the message.

Example: **NAD+CA+URBAN::92'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3035	Party qualifier	M	an..3	M	CA = Carrier
C082	Party identification details	C		M	
3039	Party identification	M	an..35	M	URBAN = name/number of carrier
3055	Responsible f. code	C	an..3	M	92 = Assigned by buyer or buyer's agent

Segment No.: 16 **SG5-TOD**

SG5 10 Segment Group 5

Description: A group of segments indicating terms of delivery.

TOD 1 Terms of delivery or transport

Description: A segment identifying the delivery terms to be used e.g. UN INCOTERMS code could be used to specify the delivery terms..

Example: **TOD+6++EXW:::Frankfurt'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
4055	Terms of delivery or transport function, coded	C	an..3	M	6 = Delivery condition
4215	Transport charges method of payment, coded	C	an..3	O	
C100	Terms of delivery or transport	C		M	
4053	Terms of delivery or transport, coded	C	an..3	M	EXW = Ex works (INCOTERMS)
1131	Code list qualifier	C	an..3	O	
3055	Code list responsible agency, coded	C	an..3	O	
4052	Terms of delivery or transport	C	an..70	M	Frankfurt
4052_2	Terms of delivery or transport	C	an..70	O	

Segment No.: 17 **SG6-TDT**

SG6 O 10 Segment Group 6

Description: A group of segments specifying details of the mode and means of transport and date/time of departure and destination relevant to the whole despatch advice.

TDT O 1 Details of transport

Description: A segment identifying transport details such as mode of transport, means of transport, its conveyance reference number and the identification of the means of transport.

Example: **TDT+12++30+31+:::Max Trans'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
8051	Transport stage qualifier	M	an..3	M	12 = at departure
C220	Mode of transport	C		O	
8067	Mode of transport, coded	C	an..3	O	30 = Road transport 20 = Rail transport 40 = Air transport 10 = Maritime transport 60 = Multimodal transport
C228	Transport means	C		M	
8179	Type of means of transport identification	C	an..8	M	11 = Ship 6 = Aircraft 31 = Truck 72 = Train 60 = Multimodal transport
C040	Carrier	C		O	
3128	Carrier name	C	an..35	O	Max Trans

Segment No.: 18 **SG8-EQD**

SG8 O 10 Segment Group 8

Description: A group of segments providing information relative to the equipment used for the transportation of goods relevant to the whole despatch advice.

EQD O 1 Equipment details

Description: A segment identifying a unit of equipment

Example: **EQD+TE+HH-CV-123'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
8053	Equipment qualifier	M	an..3	M	TE = Trailer CN = Container PA = Pallet ZZZ = bilateral agreement
C237	Equipment identification	C		M	
8260	Equipment identification number	C	an..17	M	HH-CV-123

Segment No.: 19 **SG10-CPS**

SG10 M 9999 Segment Group 10

Description: A group of segments providing details of all package levels and of the individual despatched items contained in the consignment. This segment group provides the capability to give the hierarchical packing relationships. The group defines a logical top-down order structure.

CPS M 1 Consignment packing sequence

Description: A segment identifying the sequence in which physical packing is presented in the consignment, and optionally to identify the hierarchical relationship between packing layers.

Example: **CPS+1++4'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
7164	Hierarchical structure level identifier	M	an..35	M	1 = sequential number
7166	Hierarchical structure parent identifier	C	an..35	O	
7075	Hierarchical structure parent identifier	C	an..3	M	1 = inner 3 = outer 4 = no hierarchy

Segment No.: 20 **SG10-SG11-PAC**

SG11 O 9999 Segment Group 11

Description: A group of segments identifying packaging, physical dimensions, marks and numbers, quantities, date and time information, handling information and information about packing at this level.

PAC O 1 Package

Description: A segment describe the number and type of packages/physical units.

Example: **PAC+10+++F:KLT7411:IN:TR-12:SA'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
7224	Number of packages	C	n..8	M	10
C402	Packaging type identification	C		M	
7077	Item description type, coded	C	an..3	M	F = Free-form
7064	Type of packages	C	an..35	M	KLT7411 = Buyers packaging material number
7143	Item type identification code	C	an..3	O	IN = Buyers item number
7064	Type of packages	C	an..35	O	TR-12 = Suppliers packaging material number
7143	Item type identification code	C	an..3	O	SA = Suppliers item number

Segment No.: 21 **SG10-SG11-MEA**

SG11 9999 Segment Group 11

Description: A group of segments identifying packaging, physical dimensions, marks and numbers, quantities, date and time information, handling information and information about packing at this level.

MEA 1 Measurements

Description: A segment describe the physical measurements, including dimension tolerances, weights and counts.

Example: **MEA+AAI+AAD+KGM:14.800'**
 MEA+AAI+AAC+KGM:13.800'

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
6311	Measurement attribute code	M	n..8	M	AAI = Item Weight
C502	Measurement details	C		M	
6313	Measured attribute code	C	an..3	M	AAD = Unit total gross weight AAC = Unit total gross weight
C174	Value / Range	C		M	
6411	Measurement unit code	M	an..3	M	KGM = kilogram
6314	Measurement value	C	an..18	M	14.800 = gross weight 13.800 = net weight

Segment No.: 22 **SG10-SG11-QTY**

SG11 O 9999 Segment Group 11

Description: A group of segments identifying packaging, physical dimensions, marks and numbers, quantities, date and time information, handling information and information about packing at this level.

QTY O 1 Quantity

Description: A segment describe the pertinent quantity

Example: **QTY+52:220:PCE'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	52 = Quantity per pack
6060	Quantity	M	n..14	M	220 = Quantity
6411	Measurement unit code	C	an..3	M	PCE = piece MTR = meter KGM = kilogram

Comment: Please insert the quantity, which was agreed with the customer.

Segment No.: 23 **SG15-LIN**

SG15 O 9999 Segment Group 15

Description: A group of segments providing details of the individual despatched items.

LIN M 1 Line item

Description: A segment identifying the product being despatched.

Example: **LIN+10++0009812142:BP'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
1082	Line item number	C	n..6	M	10 = line item number
C212	Item number identification	C		M	
7140	Item number	C	an..35	M	0009812142
7143	Item number type, coded	C	an..3	M	BP = Buyer's part number or IN = Buyer's item number

Segment No.: 24 **SG15-PIA**

SG15 O 9999 Segment Group 15

Description: A group of segments providing details of the individual despatched items.

PIA M 10 Additional product id

Description: A segment providing either additional identification to the product specified in the LIN segment (e.g. Harmonized System number), or provides any substitute product identification.

Examples: **PIA+5+6000300029:SA+73181530:SCC'**
 PIA+5+6000300029:SA+DRW/0009812142/06/000:EC'

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
4347	Product id. function qualifier	M	an..3	M	5 = Additional identification
C212	Item number identification	M		M	
7140	Item number	C	an..35	M	6000300029
7143	Item number type, coded	C	an..3	M	SA = Article number supplier
C212	Item number identification	C		O	
7140	Item number	C	an..35	M	73181530
7143	Item number type, coded	C	an..3	M	SCC = Statistical commodity code (Statistische Warennummer)
C212	Item number identification	C		O	
7140	Item number	C	an..35	M	DRW/0009812142/06/000
7143	Item number type, coded	C	an..3	M	EC = Engineering change level

Note: It is mandatory to transmit the materials' country of origin (SG15-ALI) and the statistical commodity code ("Statistische Warennummer") in SG15-PIA!

Segment No.: 25 **SG15-IMD**

SG15 O 9999 Segment Group 15

Description: A group of segments providing details of the individual despatched items.

IMD O 25 Item description

Description: A segment providing a description common to all line items either an industry or free format.

Example: **IMD+F+11+:::1'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
7077	Item description type, coded	C	an..3	M	F = Free form
7081	Item characteristic, coded	C	an..3	M	11 = Customs specifications
C273	Item description	C		M	
7009	Item description identification	C	an..17	O	
1131	Code list qualifier	C	an..3	O	
3055	Code list responsible agency, coded	C	an..3	O	
7008	Item description	C	an..35	M	1 = Dutiable goods Blank = No dutiable goods

Segment No.: 26 **SG15-QTY**

SG15 O 9999 Segment Group 15

Description: A group of segments providing details of the individual despatched items.

QTY M 10 Quantity

Description: A segment identifying the product quantities.

Example: **QTY+12:300:PCE'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C186	Quantity details	M			
6063	Quantity qualifier	M	an..3	M	12 = Dispatch quantity
6060	Quantity	M	n..15	M	300
6411	Measure unit qualifier	C	an..3	M	PCE = piece KGM = kilogram MTR = meter

Segment No.: 27 **SG15-ALI**

SG15 O 9999 Segment Group 15

Description: A group of segments providing details of the individual despatched items.

ALI M 10 Additional information

Description: A segment indicate the special conditions due to the origin, customs preference, fiscal or commercial factors are applicable.

Example: **ALI+DE+++'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3239	Country of origin name code	C	an..3	M	DE = Germany *
9213	Duty regime type code	C	an..3	-	Not used
4183	Special condition code	C	an..3	-	Not used

* ISO 3166 Code.

Note: It is mandatory to transmit the materials' country of origin (SG15-ALI) and the statistical commodity code ("Statistische Warennummer") in SG15-PIA!

Segment No.: 28 **SG15-DTM**

SG15 O 9999 Segment Group 15

Description: A group of segments providing details of the individual despatched items.

DTM O 5 Date/time/period

Description: A segment identifying date, and/or time, or period

Example: **DTM+11:20120308:102'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C507	Date/Time/Period	M		M	
2005	Date/time/period qualifier	M	an..3	M	11 = Dispatch date
2380	Date/time/period	C	an..35	M	20120308 = despatch date
2379	Date/time/period format qualifier	C	an..3	M	102 = CCYYMMDD

Segment No.: 29 **SG15-FTX**

SG15 O 9999 Segment Group 15

Description: A group of segments providing details of the individual despatched items.

FTX O 5 Position Text

Description: A segment to provide free form or coded text information.

Example: **FTX+LIN+1++Position text 1+DE'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
4451	Text subject code qualifier	M	an..3	O	LIN = Line item information
4453	Free text function code	C	an..3	O	1 = Text for subsequent use. The occurrence of this text does not affect message processing.
C108	Text Literal	C		M	
4440	Free text value	M	an..70	M	Position text 1 = Free text value
3453	Language name code	C	an...3	M	DE or EN

Segment No.: 30 **SG15-SG16-RFF**

SG15 O 9999 Segment Group 15
SG16 O 10 Segment Group 16

Description: A group giving references and where necessary, their dates, relating to the line item.

RFF M 1 Reference

Description: A segment identifying the reference by its number and where appropriate a line number within a document.

Example: **RFF+ON:5500011934:10'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C506	Reference	M		M	
1153	Reference qualifier	M	an..3	M	ON = Order or Schedule number
1154	Reference number	C	an..35	M	5500011934 = Schedule number
1156	Reference line item number	C	an..6	M	10

RFF O 1 Reference

Description: A segment identifying the reference by its number and where appropriate a line number within a document.

Example: **RFF+SE:0300367'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C506	Reference	M		M	
1153	Reference qualifier	M	an..3	M	SE = serial number
1154	Reference number	C	an..35	M	0300367 = serial number
1156	Reference line item number	C	an..6	M	10

Segment No.: 31 **SG15-SG16-DTM**

SG15 9999 Segment Group 15
SG16 10 Segment Group 16

Description: A group giving references and where necessary, their dates, relating to the line item.

DTM 1 Date/time/period

Description: A segment identifying date, and/or time, or period

Example: **DTM+137:20120308:102'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
C507	Date/Time/Period	M		M	
2005	Date/time/period qualifier	M	an..3	M	137 = Document/message date
2380	Date/time/period	C	an..35	M	20120308 = date of delivery note
2379	Date/time/period format qualifier	C	an..3	M	102 = CCYYMMDD

Segment No.: 32 **SG15-SG18-LOC**

SG15 O 9999 Segment Group 15
SG18 O 10 Segment Group 18

Description: A group giving references and where necessary, their dates, relating to the line item.

LOC M 1 Reference

Description: A segment identifying a specific location to which products will be delivered.

Example: **LOC+11+H 2a, SAP-LO 1221'**
 LOC+18+1221'

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
3227	Place/location qualifier	M	an..3	M	11 = Place/port of discharge * 18 = Warehouse
C507	Location identification	C		M	
3225	Place/location identification	O	an..25	M	H 2a, SAP-LO 1221 = Place/port of discharge 1221 = Warehouse

*) **Note:** Qualifier 11 is optional, qualifier 18 must be specified!

Segment No.: 33

UNT M 1 Message trailer

Description: A service segment ending a message, giving the total number of segments in the message and the control reference number of the message.

Example: **UNT+38+1'**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
0074	Number of segments in a message	M	n..10	M	38
0062	Message reference number	M	an..14	M	1

UNZ M 1 Interchange trailer

Description: To end and check the completeness of an interchange.

Example: **UNZ+1+75**

EDIFACT Standard Definition				KION Usage	
Tag	Name	St	Ft	St	Description and/or Example
0036	Interchange control count	M	n..6	M	1 = number of messages in transmission
0020	Interchange control reference	M	an..14	M	75 = number of interchanges to partner (repetition from UNB 0020)